

iQ228GYGLONE

THE WORLD'S FIRST 7" DRY CUT TABLETOP TILE SAW.





iQ228CYCLONE

7" DRY CUT TABLETOP TILE SAW

Introducing the iQ228CYCLONE™, the world's first 7" dry cut tabletop tile saw with integrated dust control and new TRU-CUT™ System. Designed for professional contractors to eliminate the problems with cutting wet, save time, and increase your profitability on tile jobs.

TRĽCUT

The TRU-CUT™ System is an integrated measurement system that provides consistent and accurate cuts for any job.

TRU-CUT™ System includes:

- Fence
- iQ Micro Fence
- Pre-measured Rolling Table

NEXT LEVEL ACCURACY

The iQ Micro Fence allows you to dial in the exact measurement for your cut. Lock it into the table and adjust the fence to the precise cut you need.





VERSITILE CUTTING

Cut 18" rip cuts with the rolling table and TRU-CUT™ system. Lock the table in place to cut 24"+ planks.

• 1.25" depth • 18" with RT, 24" without



POWERFUL VAC & SAW MOTOR

This powerful motor will keep you cutting with full vacuum suction all day long - all while collecting 99.5% of dust.

• 15 amps/ 120 volt motor





CONSTRUCTION-GRADE TOUGHNESS

The iQ228CYCLONE is built for the demands of everyday construction and a heavy workload, yet it's easy to maintain and will last for years.

• 1-year limited warranty



WINNING INNOVATION

ProTool Review's award winner for 2020's most innovative tile saw. iQ is changing the game in the construction industry one tool at a time.



iQ228CYCLON

7" DRY CUT TABLETOP TILE SAW



Cutting With Water Is A Pain

Water was once required for cutting tile, but it's a pain to deal with and causes problems that cost you money:

- Water increases your setup time
- Finding a water source, buckets and spray guards
- Water makes a mess that has to be cleaned up
- Water prohibits cutting in many locations
- Water disposal of slurry & contaminated water



Cutting Dry: A Game-Changer

Cutting dry will change your cutting operation, making your business more profitable:

- No hoses, buckets or tarps to set up
- Cut right at the work area no matter the size
- Operator stays dry, no splash-back, no mess
- · Tiles stay dry, lay cuts immediately
- No slurry cleanup, no water disposal

ELIMINATE THE WATER • SAVE TIME AND MONEY • BE OSHA COMPLIANT



PORTABILITY

This saw is designed for ultimate efficiency. Lightweight and easy to transport, it allows you to set up in small spaces easily and in a few minuets.

SPECIFICATIONS

VOLTAGE: 120v

TOTAL SYSTEM AMPERAGE: 15 AMPS

BLADE SIZE: 7" Q-DRIVE BLADE

CUTTING DEPTH: 1.25"

CUTTING LENGHT: 18" WITH ROLLING TABLE, 24" WITHOUT

FILTER TYPE: iQ Dura Bond Cartridge **EFFECTIVE DUST CAPACITY: 5 lbs SOUND PRESSURE LEVEL DB(A)2:86**

WEIGHT: 36lb

DIMENSIONS: 23" x 41" x 34"

888-274-7744 · igpowertools.com

A breakthrough innovation in the construction industry.