



POWER TOOLS™

No Dust. No Water. No Problem.

iQMS362™

The world's first 16.5" masonry saw with integrated dust control.



iQMS362-BR0318



POWER TOOLS™

No Dust. No Water. No Problem.

iQMS362™

THIS IS **NOT** YOUR GRANDFATHER'S MASONRY SAW.



- OSHA COMPLIANT
- STOP BREATHING SILICA
- REDUCE YOUR LIABILITY
- FINISH JOBS FASTER
- ELIMINATE WATER
- SAVE TIME AND MONEY

iQMS362

SPECIFICATIONS

VOLTAGE: 120v

TOTAL SYSTEM AMPERAGE: 20amps

SAW MOTOR AMPERAGE: 15amps

VAC MOTOR AMPERAGE: 5amps

SAW WEIGHT: 150lbs

BLADE SIZE: 16.5" Q- Drive Blade

FILTER TYPE: iQ Dura Bond Cartridge

CUTTING DEPTH: 5.5"H x 24"L

DUST CAPACITY: 40lbs

SAW DIMENSIONS: 27"W x 34"L x 28"H

EXTENSION CORD: 25ft/12 gauge or 50ft/10 gauge

GENERATOR: 4500watt

888-274-7744 • iqpowertools.com

A breakthrough innovation in the construction industry.




iQMS362™

**THE WORLD'S FIRST & ONLY
16.5" DRY-CUT MASONRY SAW
WITH INTEGRATED DUST CONTROL.**

iQMS362 is the next game changer for the construction industry. Its unmatched speed and accuracy, versatility in material cutting, portability, power management, and dust collection make the iQMS362 16.5" dry-cut masonry saw with integrated dust control the **ONLY** choice for masonry and hardscape professionals.

This is **NOT** your Grandfather's masonry saw.



16.5" iQ ARRAYED DIAMOND BLADE

The proprietary Q-Drive™ 16.5" iQ Arrayed Diamond Blade incorporates the latest in diamond tool technology. The iQ arrayed diamonds make for faster, more consistent cutting speeds. When one row of diamonds begins to wear out there is a 2nd row right behind it that's ready to cut.

- 5.5" depth of cut
- 24" length of cut



PERFORMANCE

Q-Drive Blade allows the iQMS362 to cut up to 40% faster than any competitor in its class. Speed, accuracy, and the ability to cut a wide range of masonry materials.



iQ POWER MANAGEMENT

Operates using a standard 120v and 20 amps. Soft-start technology controls the input power ramp up for a smooth, uninterrupted operation.



MOBILITY

High-flotation tires allow one person to easily move over rough jobsite terrain.



VERSATILITY

- Cut brick, pavers, stone and veneer with unmatched precision.
- Durable table can hold up to 50 lbs

SAFETY

- Integrated dust collection captures up to 99.5% of hazardous silica dust.
- Meets the 2017 OSHA silica standard
- Cut dry while protecting the health and safety of your workforce.

PORTABILITY

- Easy to move and transport, ideal for any location, readily available power.
- Integrated stand with a gas-shock powered lifting/lowering mechanism for high and low working positions



VACUUM SYSTEM

Dust is captured within the blade guard, rear dust guard, and downdraft louvered table via a high-powered, integrated vacuum system



3 STAGE CYCLONIC FILTRATION

Captures heavy debris, fine particles, and superfine particles. This allows for up to 99.5% dust capture from the cut.



DUST CONTAINMENT

Built with an integrated dust collection chamber that holds 40 pounds of dust.