

**REFRESH & RESEAL**

Safety Data Sheet according to U.S.A. Federal Hazcom 2012

1. Identification

1.1. Product identifierProduct name **REFRESH & RESEAL****1.2. Relevant identified uses of the substance or mixture and uses advised against**Intended use **Detergent-sealer for natural stone – Protective cleaner for tops.**

Identified Uses	Industrial	Professional	Consumer
Uses	✓	✓	✓

1.3. Details of the supplier of the safety data sheet**1.3. Details of the supplier of the safety data sheet.**

Name. **Fila Chemicals USA**
Full address. **10800 NW 21st St Ste # 170**
District and Country. **Miami, FL 33172**
Tel. (305) 513-0708
Fax. (305) 513-0728
filausa@filasolutions.com

e-mail address of the competent person.
responsible for the Safety Data Sheet.

sds@filasolutions.com**1.4. Emergency telephone number.**For urgent inquiries refer to. **800-424-9300 CHEMTREC**

2. Hazards identification

2.1. Classification of the substance or mixture

Hazard pictograms:

The product is not --
classified as hazardous
pursuant to the provisions
set forth in OSHA Hazard
Communication Standard
(HCS) (29 CFR
1910.1200). However,
since the product
contains hazardous
substances in
concentrations such as to
be declared in section no.
3, it requires a safety data
sheet with appropriate
information.

**REFRESH & RESEAL**

Signal words: --

Hazard statements:

--

Precautionary statements:

Prevention:

--

Response:

--

Storage:

--

Disposal:

--

2.2. Other hazards

Contains:

1,2-benzisothiazol-3(2H)-one

May produce an allergic reaction.

3. Composition/information on ingredients**3.1. Substances**

Information not relevant

3.2. Mixtures

Contains:

Identification**x = Conc. %****Classification:****Trade secret:****Propylene glycol n-propyl ether**

§

CAS 1569-01-3

 $2 \leq x < 5$

Flammable liquid, category 3 H226, Eye irritation, category 2 H319

EC 216-372-4

INDEX -

Note: Upper limit is not included into the range.

§ The exact percentage (concentration) of composition has been withheld as a trade secret.

The full wording of the hazard (H) phrases is given in section 16 of the sheet.



4. First-aid measures

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5. Fire-fighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.